

Masina punji de hartie din rola, fund rectangular, 4 grupuri de culoare– CY290B, max 93x47x28 cm, min 32 x 22,5 x 10 cm



1. Configuratia masinii

1.1. Parametrii tehnici – masina principala

Latimea rolei de hartie	320 – 930 mm
Lungimea pungii	225 – 470 mm
Latimea pungii	100 – 280 mm
Latimea fundului	60 – 160 mm
Grosimea hartiei	50 – 160 g/mp
Diametrul rolei jumbo	1500 mm
Diametrul miezului hartiei	76 mm
Viteza maxima	180 buc / min
Putere totala	15 kW
Gabarit	8600 x 2500 x 1800 mm
Greutate	9000 kg

1.2. Masina de tipar flexografic

Latimea maxima a benzii de hartie	1000 mm
Latimea imprimarii	Max 960 mm
Latimea imprimarii secundare	191 – 914 mm
Diametrul maximal al rolei de hartie	1000 mm
Viteza de imprimare	5 – 50 m / min
Grosimea placii	2.38 mm
Putere instalata	12.5 kW

Utilajul mai poate veni cu : stante suplimentare – 500 Euro / set

Partile principale ale utilajului de produs pungi de hartie

- 1) Senzori
- 2) PLC
- 3) Touch Screen
- 4) Servomotor
- 5) Componente electrice
- 6) Coponente pneumatice



7) Rulmenti

Partile principale ale masinii de tiparit punji

- 1) Role din otel de anilox – 4 bucati
- 2) Role de cauciuc – 4 bucati
- 3) Cilindrii de imprimare – 4 bucati



Fotografii cu utilajele





Exemplare de produse finite





<https://www.youtube.com/watch?v=yfws8jEYB8>