

Aveti in continuare o varianta top level pentru masina de produs cutii din carton ondulat ( pizza, arhivare, legume, fructe, incaltaminte etc, orice forma si orice dimensiune pana la o desfasurata de 2000 x 1000 mm

## 1. CASE MAKER 2000 X 1000 mm – echipament automat de fabricat cutii din carton

Formata din:

**A: 1x alimentator automat mecanic**

**B: 1 - 4 x unitati flexografice** , max 2500 cph; Dimensiuni carton max- 2000 x 1000 mm ;

**C: 1 x stanta rotativa** viteza max 2500 cph, reglaj digital circumferential, reglaj manual lateral;

**E : 1 x Slotter** viteza max 2500 cph, reglaj digital circumferential, reglaj manual lateral;

**F: Optiune : 1 x vibrator** pentru debavurarea colilor stantate

Caracteristici generale

Coala maxima /tipar maxima	mm	2000 x 1000 mm / 1900 x 850 mm		
Coala minima	mm	400 x 210mm		
Grosime totala cliseu	mm	6		
Tip Carton Ondulat	straturi	Microondul, 3, 5, 7		
Precizia tiparire	mm	±1		
Precizia de stantare	mm	±1		
Puterea electrica	kW	18 kW , 380 V/ 50 Hz,		
Gabarit	m	8,8 x 2,5		

Date si poze: <http://www.kpt.ro/ro/prod/case-maker-cu-4-culori-alimentator-automat-stanta-rotativa-si-slotter/masini-ambalaje-carton-ondulat/casemaker-2005/>


Video: [https://www.youtube.com/watch?time\\_continue=26&v=NSZZYZxKgBM&feature=emb\\_title](https://www.youtube.com/watch?time_continue=26&v=NSZZYZxKgBM&feature=emb_title)

Film de la o masina flexo-slotter-stanta 2000 x 1000: [https://www.youtube.com/watch?v=JW\\_eOxDM6AI](https://www.youtube.com/watch?v=JW_eOxDM6AI)

Video 1: <https://www.youtube.com/watch?v=fC9nbKXTxvE>

Video: <https://www.youtube.com/watch?v=jcgOyU2LC9U&feature=youtu.be>

Schema de amplasare pentru configuratia: Alimentator+ 4 unitati tipar+ slotter+ stanta rotativa



## Alcatuire

### A. ALIMENTATOR AUTOMAT MECANIC; viteza max/de productie 50/40 pcs/min



Pret Alimentator: Euro 7500 +TVA



Video: <https://www.youtube.com/watch?v=RJTMtK3bMD4>

### B. UNITATI FLEVO YK 1020 pentru coli max 2000 x 1000 mm

**1 - 4 x unitate flexo** ; viteza 50/40 buc/min;  
Alimentare 380V/50 Hz; Optiuni incluse: cilindri anilox metalici 180LPI/ 200 LPI, pompe cerneala, reglaj digital circumferential, reglaj manual lateral, numarare coli, spalare automata, separare electrica a grupurilor, prindere clieseu prin lipire sau cu stangi de intindere  
Pret Unitate tipar 1 – Euro 18 600+TVA  
Pret Unitate tipar 2 – Euro 11800+TVA  
Pret Unitate tipar 3 – Euro 9 300+TVA  
Pret Unitate tipar 4 – Euro 9 300+TVA



<http://www.kpt.ro/ro/prod/tipar-flexo-2-culori-si-stanta-rotativa-zyk-1014/masini-ambalaje-carton-ondulat/masini-de-stantat-rotative-1448/>

<http://www.kpt.ro/ro/prod/flexo-slotter-yk14-2200-x-1400-mm/masini-ambalaje-carton-ondulat/flexo-slottere-432/>

Video: [https://www.youtube.com/watch?v=dgX1kea\\_ol&feature=emb\\_title](https://www.youtube.com/watch?v=dgX1kea_ol&feature=emb_title)

### C. UNITATE DE STANTARE ROATTIVA ZYK 1020 pentru coli max 2000 x 1000 mm

**1 x unitate stantare** ; viteza 50/40 pcs/min;; Alimentare 380V/50 Hz; Optiuni incluse: reglaj digital circumferential, reglaj manual lateral, numarare coli, , separare electrica a grupurilor,  
Diametru cilindru port stanta 270 mm; Sistem automat programabil de rectificare a cilindrului de presiune.  
Pret unitate stantare rotativa – Euro 16 600+ TVA



<http://www.kpt.ro/ro/prod/tipar-flexo-2-culori-si-stanta-rotativa-zyk-1014/masini-ambalaje-carton-ondulat/masini-de-stantat-rotative-1448/>

Video: <https://www.youtube.com/watch?v=icgOyU2LC9U&feature=youtu.be>

### E. UNITATI SLOTTER YK 1020, max 2000 x 1000 mm

**1 x unitate flexo** ;; Dimensiuni carton max 1300x950mm ; Alimentare 380V/50 Hz; Optiuni incluse: cilindri anilox metalici 180LPI, pompe cerneala, reglaj digital circumferential, reglaj manual lateral, numarare coli, separare electrica a grupurilor, system de executare gauri de mana; viteza 80-120 pcs/min

Pret unitate = Euro 10200+ TVA



Video de la o masina similara [https://www.youtube.com/watch?v=dgX1kea\\_ol&feature=emb\\_title](https://www.youtube.com/watch?v=dgX1kea_ol&feature=emb_title)

### F: Optiune neinclusa in actuala configuratie- VIBRATOR pentru debavurare, eliminare produs si eliminare deseuri plus banda de eliminare longitudinala a produselor, max 2000 x 1000 mm

Greutate 2000 kg Gabarit 3 x 2,2 x 1,3 m Putere instalata - 5kW; Mod de lucru – simpla sau dubla vibratie Control PLC; Constructie mobile; viteza 80-120 pcs/min  
Posibilitate de lucru in tandem cu masina principala sau separat

Pret vibrator pentru debavurare- Euro 8 000+ TVA



Date si poze: <http://www.kpt.ro/ro/prod/vibrator-debavurare-pentru-carton-ondulat/masini-ambalaje-carton-ondulat/vibratoare-debavurare-pentru-carton-ondulat-1191/> Video: <https://www.youtube.com/watch?v=hCQI104kraA&feature=youtu.be>

## Disponibilitate – Stoc

1. Echipamente sunt noi; Garantie 1 an;. 2.Echipamentele sunt conforme UE cu normele de protectia muncii si insotite de declaratie de conformitate. 3. Utilajele oferate nu necesita montaj care sa schimbe regimul de exploatare a constructiei existente si nici lucrari de interventii asupra instalatiilor existente 4. Perioada de valabilitate a ofertei 30 zile.

Cu salutari cordiale,  
Nicolae Oprica,  
0725 77 66 55

20.02.2020

